

Appln. No. 09/879,870
Response dated Oct. 16, 2003
Advisory Action dated Oct. 8, 2003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appln. No. : 09/879,870
Applicants : William M. Appleman, et al.
Filed : June 13, 2001
TC/A.U. : 1723
Examiner : Krishnan S. Menon

CONFIRMATION NO. 4961

Docket No. : 82,918
Customer No. : 000038092

RECEIVED
CENTRAL FAX CENTER
OCT 17 2003

OFFICIAL

Commissioner of Patents
P.O. Box 1450
Alexandria, Va. 22313-1450

RESPONSE TO ADVISORY ACTION

Sir:

This response relates to the Examiner's Advisory Action dated Oct. 8, 2003 indicating that: (a) the period for reply to the Final Office action by Appeal expires after Oct. 14, 2003; and (b) the Rule 116 Amendment filed Sept. 3, 2003 following the Final Office action is denied entry because it raises new issues introduced by allegedly new limitations proposed for claim 2, residing in lateral withdrawal of a filtered fluid portion from processing elements in a sealed chamber by "gravitational collection--below the--processing elements".

COMMENTS

(a) As to a reply by Appeal from the Final Office action, an Appeal Notice and an Appeal Brief were already timely filed on Oct. 14, 2003 by facsimile transmission. (A copy of the Auto-Reply Facsimile Transmission is attached).

(b) In regard to the Examiner's stated reasons for currently denying entry of the proposed Rule 116 amendments to claim 2 on appeal, the Examiner is urged to consider the following facts and the related bases for entering of such amendments so as to sanction either an allowance of the application as amended or reopening of its prosecution once again.

Appin. No. 09/879,870
Response dated Oct. 16, 2003
Advisory Action dated Oct. 8, 2003

First, the original specification in the present application on page 4 lines 9-10 indicates that "bilgewater (undergoes) percolation laterally within a sealed chamber--for discharge through the drain 18". According to the latter quoted portion of the specification the referred to discharge occurs because the lateral percolation referred to is effected "so as to gravitationally collect--the-- cleansed portion for discharge" (underlining added). Furthermore, according to the generally known meaning of "drainage" as set forth for example in the Webster Third New International Dictionary, page 685, is: "the act, process or means of drawing off fluids--by means of--gravity". In view of the foregoing, the Rule 116 amendments proposed for claim 2 on appeal did not raise any new issues because they merely emphasized claim limitations inherent or implied, as indicated in the original specification and supported by dictionary definition with respect to discharge through a drain.

After careful consideration of the foregoing referred to situation in the present case in regard to the proposed Rule 116 amendments, the Examiner is urged to either allow the application based on claims 2 and 3 as amended or reopen prosecution. Otherwise, an Examiner's Answer in response to the Appeal Brief is expected in due course.

Respectfully submitted,



JACOB SHUSTER, Reg. No. 19,660
Attorney for Applicants

Tele: (301) 227-1835
OFFICE OF COUNSEL CODE 39
NAVAL SURFACE WARFARE CENTER
CARDEROCK DIVISION HEADQUARTERS
DAVID TAYLOR MODEL BASIN
9500 MACARTHUR BOULEVARD
WEST BETHESDA, MD 20817-5700

RECEIVED
CENTRAL FAX CENTER

OCT 17 2003

OFFICIAL

10/17/03 13:51 301 227 1968

OFC OF COUNSEL

004/004

TO:Auto-reply fax to 301 227 1968 COMPANY:

Auto-Reply Facsimile Transmission



UNITED STATES
PATENT AND
TRADEMARK OFFICE

TO:

Fax Sender at 301 227 1968

Fax Information

Date Received:

10/14/03 9:38:28 AM [Eastern Daylight Time]

Total Pages:

9 (including cover page)

ADVISORY: This is an automatically generated return receipt confirmation of the facsimile transmission received by the Office. Please check to make sure that the number of pages listed as received in Total Pages above matches what was intended to be sent. Applicants are advised to retain this receipt in the unlikely event that proof of this facsimile transmission is necessary. Applicants are also advised to use the certificate of facsimile transmission procedures set forth in 37 CFR 1.8(a) and (b), 37 CFR 1.6(f). Trademark Applicants, also see the Trademark Manual of Examining Procedure (TMEP) section 306 et seq.

Received
Cover
Page
=====>

10/14/03	09:37	301 227 1968	OFC OF COUNSEL	004/004
----------	-------	--------------	----------------	---------

Navy Case No. 82,918	PATENTS
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE	
In re application of	
William M. Appleman, et al.	: Group Art Unit: 1723
Serial No. 09/870,870	: Examiner: Krishnan S. Menon
Filed: June 13, 2001	: CONFIRMATION NO. 4961
For: ARRANGEMENT AND CONSTRUCTION OF AN ELEMENT BUNDLING MODULE	

Certificate of Transmission

I hereby certify that this correspondence
Notice of Appeal and Appeal Brief
is being facsimile transmitted
To the Patent and Trademark Office
(Fax No. (703) 872-9311)

on Tuesday, October 14, 2003

Typed or printed name of person signing this certificate

Signature: *Dorothy J. Vranich*
 DOROTHY J. VRANICH
 Tel: 301 227-1835
 Fax: 301 227-1968

Received from <301 227 1968> at 10/14/03 9:38:28 AM [Eastern Daylight Time]

Received from <301 227 1968> at 10/17/03 1:51:22 PM [Eastern Daylight Time]

Navy Case No. 82,918

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :
William M. Appleman, et al. : Group Art Unit: 1723
Serial No. 09/879,870 : Examiner: Krishnan S. Menon
Filed: June 13, 2001 : CONFIRMATION NO. 4961
For: ARRANGEMENT AND CONSTRUCTION :
OF AN ELEMENT BUNDLING MODULE :


Certificate of Transmission

I hereby certify that this correspondence
Response to Advisory Action
Is being facsimile transmitted
To the Patent and Trademark office
(Fax No. (703) 872-9311)

on Friday, October 17, 2003

Typed or printed name of person signing this certificate

Signature



DOROTHY J. VRANISH

Tele: 301 227-1835

Fax: 301 227-1968

RECEIVED
CENTRAL FAX CENTER
OCT 17 2003

OFFICIAL